

# JEWELLED Wanderer



{ FEATURING BIJOUX COLLECTION }



FREE PROJECT SHEET

DESIGNED BY Bari J.



# JEWELLED Wanderer

FINISHED SIZE: 75 1/2" X 67 1/2"

To download the instructions for this pattern visit

[artgalleryfabrics.com](http://artgalleryfabrics.com)



COLOR OPTION

# bijoux by Bari J.

RUBY SPIRIT



BIJ-4700  
Divine Gypsy Rosewood



BIJ-4704  
Embroidery's Fortune Rose



BIJ-4708  
Dream Catcher Fuchsia



BIJ-4703  
Dancing Harvest Guava



BIJ-4702  
Caravan's Light Sunset



BIJ-4705  
Mystic Traveler Blush




BIJ-4706  
Into the Wild Cedar



BIJ-4707  
Bohemian Charms Cream



BIJ-4701  
Exotic Bandana Sahara



BIJ-4709  
Sublime Stitchery Spring




BIJ-4706  
Sublime Stitchery Spring

### KIT QUANTITY

BIJ-4704	5/8 yd.	BIJ-4702	1/4 yd.
BIJ-4700	3/4 yd.	BIJ-4705	1/3 yd.
BIJ-4707	1/3 yd.	BIJ-5703	5/8 yd.
BIJ-4703	5/8 yd.	BIJ-4709	1 1/4 yd.
BIJ-4708	1 yd.	BIJ-4701	1/4 yd.
BIJ-4706	1/3 yd.	Backing	4 yd.

GOLDEN SPIRIT



BIJ-5700  
Divine Gypsy Ivory



BIJ-5704  
Embroidery's Fortune Amber




BIJ-5708  
Dream Catcher Raffia



BIJ-5703  
Dancing Harvest Wheat



BIJ-5702  
Caravan's Light Sunrise



BIJ-5705  
Mystic Traveler Magenta



BIJ-5706  
Into the Wild Lilac



BIJ-5707  
Bohemian Charms Honey



BIJ-5701  
Exotic Bandana Oasis



BIJ-5709  
Sublime Stitchery Fall

### COLOR OPTION KIT QUANTITY

BIJ-5704	5/8 yd.	BIJ-5702	1/4 yd.
BIJ-5700	3/4 yd.	BIJ-5705	1/3 yd.
BIJ-5707	1/3 yd.	BIJ-4703	5/8 yd.
BIJ-5703	5/8 yd.	BIJ-5709	1 1/4 yd.
BIJ-5708	1 yd.	BIJ-5701	1/4 yd.
BIJ-5706	1/3 yd.	Backing	4 yd.





# JEWELLED Wanderer

Featuring **Bijoux** COLLECTION  
BY Bari J.  
FINISHED SIZE: 75 1/2" x 67 1/2"

RUBY QUILT

GOLDEN QUILT



## FABRIC REQUIREMENTS

- Fabric **A** BIJ-4704 5/8 yd.
- Fabric **B** BIJ-4700 3/4 yd.
- Fabric **C** BIJ-4707 1/3 yd.
- Fabric **D** BIJ-4703 5/8 yd.
- Fabric **E** BIJ-4708 1 yd.
- Fabric **F** BIJ-4706 1/3 yd.
- Fabric **G** BIJ-4702 1/4 yd.
- Fabric **H** BIJ-4705 1/3 yd.
- Fabric **I** BIJ-5703 5/8 yd.
- Fabric **J** BIJ-4709 1 1/4 yd.
- Fabric **K** BIJ-4701 1/4 yd.

**Backing Fabric**  
BIJ-4705 4 yd. (suggested)

**Binding Fabric**  
BIJ-4708 (Fabric **E**) (included)

## FABRIC REQUIREMENTS


- Fabric **A** BIJ-5704 5/8 yd.
- Fabric **B** BIJ-5700 3/4 yd.
- Fabric **C** BIJ-5707 1/3 yd.
- Fabric **D** BIJ-5703 5/8 yd.
- Fabric **E** BIJ-5708 1 yd.
- Fabric **F** BIJ-5706 1/3 yd.
- Fabric **G** BIJ-5702 1/4 yd.
- Fabric **H** BIJ-5705 1/3 yd.
- Fabric **I** BIJ-4703 5/8 yd.
- Fabric **J** BIJ-5709 1 1/4 yd.
- Fabric **K** BIJ-5701 1/4 yd.

**Backing Fabric**  
BIJ-5705 4 yd. (suggested)

**Binding Fabric**  
BIJ-5708 (Fabric **E**) (included)



NOTE: There are many squares that are close in size, so it's very important to pin a note to each indicating it's size before you set it aside for later use.



## RUBY QUILT

## CUTTING DIRECTIONS

*1/4" seam allowances are included.*

## GOLDEN QUILT

### Fabric A

CUT  
 2 (two) 9 1/2" x 9 1/2" squares  
 1 (one) 5" x 30" strip  
 2 (two) 2 1/2" x 27 1/2" strips  
 2 (two) 2 1/2" x 18 1/2" strips

### Fabric B

CUT  
 1 (one) 5" x 20" strip  
 sub-cut into two 9 1/2" x 5"  
 2 (two) 5" x 27 1/2" strips  
 2 (two) 2 1/2" x 36 1/2" strips  
 1 (one) 5" x 37" strip  
 sub-cut into two 5" x 18 1/2"

### Fabric C

CUT  
 1 (one) 5" x 40" strip

### Fabric D

CUT  
 1 (one) 5" x 40" strip  
 2 (two) 9 1/2" x 14"  
 2 (two) 2 1/2" x 27 1/2" strips

### Fabric E

CUT  
 2 (two) 9 1/2" x 14" rectangles  
 2 (two) 9 1/2" x 9 1/2" squares  
 2 (two) 5" x 27 1/2" strips

### Fabric F

CUT  
 1 (one) 5" x 40" strip  
 sub-cut into two 5" x 18 1/2"  
 1 (one) 5" x 30" strip

### Fabric G

CUT  
 1 (one) 5" x 30" strips

### Fabric H

CUT  
 1 (one) 5" x 30" strip  
 1 (one) 5" x 20" strip  
 sub-cut into two 9 1/2" x 5"

### Fabric I

CUT for inner border  
 \*2(two) 2 1/2" x 62 1/2" strips"  
 \*2(two) 2 1/2" x 58 1/2" strips"  
 \*attach two WOF strips to obtain these long strips

### Fabric J

CUT for outer border  
 \*2(two) 5" x 66 1/2" strips"  
 \*2(two) 5" x 67 1/2" strips"  
 \*attach two WOF strips to obtain these long strips

### Fabric K

CUT  
 1 (one) 5" x 40"

### Fabric A

CUT  
 2 (two) 9 1/2" x 9 1/2" squares  
 1 (one) 5" x 30" strip  
 2 (two) 2 1/2" x 27 1/2" strips  
 2 (two) 2 1/2" x 18 1/2" strips

### Fabric B

CUT  
 1 (one) 5" x 20" strip  
 sub-cut into two 9 1/2" x 5"  
 2 (two) 5" x 27 1/2" strips  
 2 (two) 2 1/2" x 36 1/2" strips  
 1 (one) 5" x 37" strip  
 sub-cut into two 5" x 18 1/2"

### Fabric C

CUT  
 1 (one) 5" x 40" strip

### Fabric D

CUT  
 1 (one) 5" x 40" strip  
 2 (two) 9 1/2" x 14"  
 2 (two) 2 1/2" x 27 1/2" strips

### Fabric E

CUT  
 2 (two) 9 1/2" x 14" rectangles  
 2 (two) 9 1/2" x 9 1/2" squares  
 2 (two) 5" x 27 1/2" strips

### Fabric F

CUT  
 1 (one) 5" x 40" strip  
 sub-cut into two 5" x 18 1/2"  
 1 (one) 5" x 30" strip

### Fabric G

CUT  
 1 (one) 5" x 30" strips

### Fabric H

CUT  
 1 (one) 5" x 30" strip  
 1 (one) 5" x 20" strip  
 sub-cut into two 9 1/2" x 5"

### Fabric I

CUT for inner border  
 \*2(two) 2 1/2" x 62 1/2" strips"  
 \*2(two) 2 1/2" x 58 1/2" strips"  
 \*attach two WOF strips to obtain these long strips

### Fabric J

CUT for outer border  
 \*2(two) 5" x 66 1/2" strips"  
 \*2(two) 5" x 67 1/2" strips"  
 \*attach two WOF strips to obtain these long strips

### Fabric K

CUT  
 1 (one) 5" x 40"








## BLOCK CONSTRUCTION

Sew all rights sides together with  $\frac{1}{4}$ " seam allowance. Press open.

Both the **RUBY** and the **GOLDEN** quilts are constructed in the same way with a direct replacement of all the fabrics.



### CHARM PATCHES

- Sew the 40" strips of Fabric **D** and Fabric **C** together. Press to one side and sub-cut the strip into eight 5" pieces (DIAGRAM 1).
- Piece two sets of the cut pairs together as shown in (DIAGRAM 2).
- Repeat steps one and two for with the 40" strips of Fabric **K** and Fabric **C**. Sew two sets of the cut pairs together as shown in (DIAGRAM 3).
- Repeat steps one and two with the 30" strips of Fabric **H** and Fabric **A** and again with Fabric **G** and Fabric **F** except this time, sub-cut into six 5" pieces and sew together two sets each as shown in (DIAGRAM 4 & 5).




### BLOCK A

- Piece Fabric **A** (9 1/2" x 9 1/2") ① and Fabric **B** (9 1/2" x 5") with Fabric **B** ② on the right side .
- Piece Fabric **E** ③ (9 1/2" x 14") to the bottom of the block.
- Piece the 8 patch Fabric **D**/Fabric **C** ④ to the right side of the block.
- Piece Fabric **F** (18 1/2" x 5") ⑤ to the right side of the block.
- Piece Fabric **B** (5" x 27 1/2") ⑥ to the bottom of the block.
- Piece the 6 patch row of Fabric **H**/Fabric **A** ⑦ to the bottom of the block.



### BLOCK B

- Starting at the bottom of the quilt:
- Piece Fabric **E** (9 1/2" x 9 1/2") ① and Fabric **H** (9 1/2" x 5") with Fabric **H** ② on the right side .
- Piece Fabric **D** ③ (9 1/2" x 14") to the top of the block.
- Piece the 8 patch Fabric **C**/Fabric **K** ④ to the right side of the block.
- Piece Fabric **B** (18 1/2" x 5") ⑤ to the right side of the block.
- Piece Fabric **E** (5" x 27 1/2") ⑥ to the top of the block.
- Piece the 6 patch row of Fabric **G**/Fabric **F** ⑦ to the top of the block.



### BLOCK C (HORIZONTAL)

- Piece Fabric **D** (2 1/2" x 27 1/2") ① and Fabric **A** (2 1/2" x 27 1/3") ② together with Fabric **A** on the right side.
- Piece Fabric **A** (2 1/2" x 18 1/2") ③ to Fabric **B** (2 1/2" x 36 1/2") ④ with Fabric **B** on the right side.
- Piece the two rows together with ① & ② on the top.



## ASSEMBLING THE TOP

Sew all rights sides together with  $\frac{1}{4}$ " seam allowance. Press open.

- Use the cover photo to aid you further in assembling the top.
- Piece Block **A** to Block **B** with **B** on the right.
- Piece Block **C** (horizontal) to the bottom of the two blocks (**A** & **B**)
- Repeat the previous step to create the bottom half of the quilt.
- Piece the top and bottom half of the quilt together.



- When attaching the borders, make sure you align the border strip with the center of the top and pin from the center outwards.
- Sew the two 62 1/2" strips of Fabric I to the right and left sides of the quilt.
- Sew the two 58 1/2" strips of Fabric I to the top and bottom of the quilt.
- Sew the two 66 1/2" strips of Fabric J to the right and left sides of the quilt.
- Sew the two 67 1/2" strips of Fabric J to the top and bottom of the quilt.

## QUILT ASSEMBLY

*Sew right sides together.*


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motives are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

## BINDING

*Sew right sides together.*

- Cut enough strips 1 1/2" wide by the width of the fabric E to make a final strip 300" long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5" tail. Sew with 1/4" seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching 1/4" before the edge of the quilt (DIAGRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at 1/4" of the border, stitching all the layers. Do the same in the four corners of the quilt.

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to 1/4" and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



**CONGRATULATIONS!**

