







*This quilt is a digital rendering. Actual fabric placement will vary.

36" x 87"



Pattern is available to download free directly from Robert Kaufman Fabrics' website

LAZY DAISY BED RUNNER

All border strip length measurements are approximate. Please measure your projet before cutting the length of each border.

| Fabric Requirements | | | You will also need: |
|-------------------------------|-------------|------------|---|
| Embroidery Panel | ADZ-13757-3 | 1/3 yard | Cosmo #242 or DMC #498 embroidery floss |
| Sashing and Setting Triangles | ADZ-13760-3 | 1-1/4 yd. | Embroidery Needle |
| Block Background | ADZ-13762-3 | 3/4 yd. | Queen Size Batting |
| Centers and Corners | ADZ-13761-3 | 5/8 yd. | Tri-Recs (EZ Quilting #8823753A) |
| Star Points | ADZ-13763-3 | 5/8 yd. | Flip n Set (EZ Quilting #8829414A) |
| Outer Border & Binding | ADZ-13758-3 | 1-1/4 yds. | Easy Angle (EZ Quilting #8823759A) |
| Backing | Your Choice | 2 yards | Basic Sewing Supplies |

Cutting Instructions

| FROM | CUT | TO YIELD |
|---------------------------------|--------------------------------------|------------------------------|
| Embroidery Panels (ADZ-13757-3) | See instructions to fussy cut panels | |
| Background(13762) | 5 – 4" x42" strips | 40 Tri triangles |
| | | 40 Easy Angle triangles |
| #13761 | 4 – 4" x 42" strips | 10—4" squares |
| | | 40 Easy Angle triangles |
| #13763 | 4 – 4" x 42" strips | 80 Recs triangles (40 pairs) |
| Sashing (13760) | 4 – 1-1/2" x 42" strips | 6—1-1/2" x 11" sashes |
| | | 6—1-1/2" x 9-1/2" sashes |
| | 4 – 2-1/2" x 42" strips | Inner border for short ends |
| Setting Triangles (13760) | 2 – 8-1/2" x 42" strips | 6—Flip n Set triangles* |
| Border | 6 – 4" x 42" strips | Outer border |
| | 6 – 2-1/4" x 42" strips | Binding |

Embroidery Blocks (Make 3)

- 1) Cut out three embroidery blocks, allowing as much extra fabric around the blocks as possible. (Optional: Fuse the Pellon interfacing to the wrong side of the blocks.)
- 2) Embroider the blocks with two strands of floss, using French Knots, outline stitches and Lazy Daisy stitches.



A

French Knots





Lazy Daisy Stitch






Fig. 2

3) When finished, press wrong side down on a fluffy towel. Trim the blocks to 9-1/2" square. Sew the red grid sashing strips to each block (Fig.1). Make three. Trim the blocks to 11" square or the same size as the pieced blocks before assembling the bed runner.


Pieced Blocks (Make 10)

 Assemble all the red print and background print Easy Angle triangles into squares (Fig. 2). Press toward the red print. At this point they should measure 4" square.


LAZY DAISY BED RUNNER

All border strip length measurements are approximate. Please measure your projet before cutting the length of each border.

5) Sew a Recs unit to the left side of each Tri unit (Fig. 3). Press toward the Recs unit. Sew the opposite Recs unit to the right side (FIg. 4). Press towards the Recs unit. At this point the units should measure 4" square (Fig. 5).



6) Using four Tri-Recs units, four Easy Angle triangle-squares, and one print square, assemble a block as shown (FIg. 6). Repeat to make a total of 10 blocks. At this point the blocks should measure 11" square.





Assembling the Runner

- 7) Arrange the embroidered blocks, the pieced blocks and setting triangles according to the picture of the quilt. Sew the blocks and triangles together in diagonal rows. Press. Sew the rows together to form the bed runner.
- 8) Sew 2-1/2" wide red grid inner borders to the pointed ends of the runner. Press toward the borders. Trim the long edges of the quilt straight, leaving at least a 1/4" seam from the corners of the blocks.
- 9) Piece the outer borders strips together, pressing the seams open. Measure and trim two borders the length of the runner. Sew to the sides, press and trim. Add the borders on the ends of the runner in the same manner. Press toward the borders.

Finishing the Bed Runner

- 10) Piece a backing at least 4" larger than the quilt top. Trim the batting to the same size as the backing. Layer and baste.
- 11) Quilt as desired. Before sewing on the binding, hand-baste a scant ¼" from the edge of the quilt to hold the layers together.
- 12) Join the binding ends with diagonal seams pressed open. Fold in half, wrong sides together and press to make a double binding. Sew to the quilt with a ¹/₄" seam, mitering the corners.
- 13) Trim excess batting and backing, turn the binding to the back side of the quilt and stitch down by hand with matching thread.