
FOUNDRY

Designed by Robert Kaufman Fabrics www.robertkaufman.com

Featuring

STUDIO STASH

By Jennifer Sampon



Finished quilt measures: 60" x 72" Shown in "WARM". For alternate colorstories see pages 8-13.

Pattern Level: Experienced Intermediate

"I know the ropes and would like to test my skills!"



Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
101 101 101	A	AJS-15778-142 AMBER	3/8 yard		G	AJS-15787-26 PETUNIA *includes binding	1-3/8 yards
	В	AJS-15780-15 IVORY	1-1/2 yards		Н	AJS-15780-26 PETUNIA	1/4 yard
	С	AJS-15776-12 GREY	1/2 yard		I	AJS-15776-142 AMBER	3/4 yard
	D	AJS-15788-246 WATER	3/8 yard		J	AJS-15781-137 LEMON	2/3 yard
	E	AJS-15787-15 IVORY	1/2 yard		К	AJS-15776-295 IRON	1/4 yard
	F	AJS-15787-142 AMBER	3/4 yard		L	AJS-15787-63 SKY	3/8 yard
Copyright 2015, Robert Kaufman For individual use only - Not for resale				You will also need: 4 yards for backing			

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 40" wide.
- Right sides together has been abbreviated to RST.
- Half square triangle has been abbreviated to HST.
- Remember to measure twice and cut once!

Cutting Instructions

(For Warm and Cool Colorstories only. For Neutral Colorstory, see page 10)

From **Fabric A**, cut:

four 2-1/2" x WOF strips. Subcut:

sixty 2-1/2" squares

From **Fabric B**, cut:

nine 2-7/8" x WOF strips. Subcut:

one hundred twenty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

four 4-7/8" x WOF strips. Subcut:

thirty 4-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric C**, cut:

five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric D**, cut:

three 2-7/8" x WOF strips. Subcut:

thirty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric E**, cut:

five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric F**, cut:

four 4-7/8" x WOF strips. Subcut:

thirty 4-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric G**, cut:

five 3-3/8" x WOF strips. Subcut:

sixty 3-3/8" squares

five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric H**, cut:

two 3-3/8" x WOF strips. Subcut:

fifteen 3-3/8" squares

From **Fabric I**, cut:

four 4-7/8" x WOF strips. Subcut:

thirty 4-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric J**, cut:

five 3-3/8" x WOF strips. Subcut:

sixty 3-3/8" squares

From **Fabric K**. cut:

two 3-3/8" x WOF strips. Subcut:

fifteen 3-3/8" squares

From **Fabric L**, cut:

three 2-7/8" x WOF strips. Subcut:

thirty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **binding fabric**, cut:


seven 2-1/4" x WOF strips


Cut all Fabric L pieces from the remainder of Fabric C. Use these triangles wherever Fabric L is called for in the instructions.

Assemble the A Blocks



Step 1: Sew a Fabric B and I 4-7/8" triangle, RST, along the longest edge. Press toward the darker fabric. Trim to 4-1/2" if necessary. Repeat to make sixty half-square triangle (HST) units.






Step 3: Sew a 2-7/8" Fabric L triangle to each side of a Fabric J square. Press away from the square. Trim to 4-1/2" if necessary. Repeat to make fifteen square-in-a-square blocks.



Step 4: Sew units together in three rows of three, as illustrated. Press unit seams in the top and bottom row to the HST units. Press seams in the middle row to the center block. Press row seams open. Repeat to make fifteen 12-1/2" x 12-1/2" A Blocks.




Assemble the B Blocks




Step 1: Sew one short side of a 2-7/8" Fabric B triangle to one side of a Fabric A square, as illustrated. Repeat along the adjacent side, forming a triangle unit. Press seams toward the square. Repeat to make sixty units.

Step 2: Sew one Fabric F triangle to the unit completed in Step 1. Trim to 4-1/2" if necessary.


Repeat to make sixty.




Step 3: Sew a 2-7/8" Fabric E triangle to two adjacent sides of a Fabric G square. Press away from the square. Sew Fabric C triangles to the remaining sides. Press away from the square. Trim to 4-1/2" if necessary. Repeat to make sixty square-in-a-square blocks.



Step 4: Sew a 2-7/8" Fabric D triangle to each side of a Fabric H square. Press away from the square. Trim to 4-1/2" if necessary. Repeat to make fifteen square-in-a-square blocks.




Step 5: Sew units together in three rows of three, as illustrated. Press unit seams in the top and bottom row to the center units. Press seams in the middle row to the outer block. Press row seams open. Repeat to make fifteen 12-1/2" x 12-1/2" B Blocks.



page 6

Assemble the Quilt



Arrange the A and B Blocks into six rows of five blocks each, alternating blocks as illustrated. Three rows will start and end with an A Block and three rows will start and end with a B Block.

Press the block seams to the right in the even numbered rows and to the left in the odd numbered rows. Press row seams open.

Your quilt top is complete! Baste, quilt, bind and enjoy!

FOUNDRY - Neutral Colorstory



FOUNDRY - Neutral Colorstory

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/\$KU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AJS-15780-1 WHITE	3/8 yard		F	AJS-15787-15 IVORY	2/3 yard
	В	AJS-15788-246 WATER	1-3/4 yards	illi III	G	AJS-15778-295 IRON	1 yard
111 110 110 110 110 110 110 110 110 110	C	AJS-15778-63 SKY	3/4 yard	24 13 2 3 4 6 9 3 3 5 2 3 3 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5 4 5	Н	AJS-15776-12 GREY *includes binding	1-1/4 yards
	D	AJS-1 <i>577</i> 9-1 WHITE	3/8 yard			AJS-15781-295 IRON	1/4 yard
	E	AJS-15780-295 IRON	1/2 yard		J	AJS-15780-15 IVORY	1/2 yard
Copyright 2015, Robert Kaufman For individual use only - Not for resale				You will also need: 4 yards for backing			

FOUNDRY - Neutral Colorstory Cutting Instructions & Notes

From **Fabric A**, cut:

four 2-1/2" x WOF strips. Subcut:

sixty 2-1/2" squares

From **Fabric B**, cut:

nine 2-7/8" x WOF strips. Subcut:

one hundred twenty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

six 4-7/8" x WOF strips. Subcut:

fifteen 4-7/8" squares

thirty 4-7/8" squares Cut these squares along one diagonal, creating two triangles.

From **Fabric C**, cut:

nine 2-7/8" x WOF strips. Subcut:

one hundred twenty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric D**, cut:

three 2-7/8" x WOF strips. Subcut:

thirty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric E**, cut:

five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric F**, cut:

four 4-7/8" x WOF strips. Subcut:

thirty 4-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric G**, cut:

four 4-7/8" x WOF strips. Subcut:

thirty 4-7/8" squares Cut each square along one diagonal, creating two triangles. five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares Cut each square along one diagonal, creating two triangles.

From **Fabric H**, cut:

five 3-3/8" x WOF strips. Subcut:

sixty 3-3/8" squares

From **Fabric I**, cut:

two 3-3/8" x WOF strips. Subcut:

fifteen 3-3/8" squares

From Fabric J. cut:

five 2-7/8" x WOF strips. Subcut:

sixty 2-7/8" squares Cut each square along one diagonal, creating two triangles.


From **binding fabric**, cut:

seven 2-1/4" x WOF strips

FOUNDRY - Neutral Colorstory Assembly

Note: These instructions are an abbreviated version of the main set of instructions. For additional illustrations and pressing directions, refer to pages 4-6.

Assemble the A Blocks



Step 1: Sew a 4-7/8" Fabric B and G triangle, RST. Trim to 4-1/2" if necessary. Repeat to make sixty half-square triangle (HST) units.

Step 2: Sew a Fabric J triangle to two adjacent sides of a Fabric H square. Press away from the square. Sew Fabric C triangles to the remaining sides. Repeat to make sixty.

Step 3: Sew a 2-7/8" Fabric G triangle to each side of a Fabric I square. Trim to 4-1/2" if necessary. Repeat to make fifteen.

Step 4: Sew units together in three rows of three, as illustrated. Repeat to make fifteen 12-1/2" x 12-1/2" A Blocks.

Assemble the B Blocks

Step 1: Sew one short side of a 2-7/8" Fabric B triangle to one side of a Fabric A square, as illustrated. Repeat along the adjacent side, forming a triangle unit. Repeat to make sixty units.

Step 2: Sew one Fabric E triangle to the unit completed in Step 1. Trim to 4-1/2" if necessary. Repeat to make sixty.

Step 3: Sew a 2-7/8" Fabric B triangle to two adjacent sides of a Fabric F square. Press away from the square. Sew Fabric C triangles to the remaining sides. Trim to 4-1/2" if necessary. Repeat to make sixty.




Step 4: Sew a Fabric D triangle to each side of a Fabric B square. Trim to 4-1/2" if necessary. Repeat to make fifteen.

Step 5: Sew units together in three rows of three, as illustrated. Repeat to make fifteen 12-1/2" x 12-1/2" B Blocks.

Assemble quilt following the instructions on page 8.

FOUNDRY - Cool Colorstory



FOUNDRY - Cool Colorstory

Fabric and Supplies Needed

Fabric amounts based on yardage that is 40" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
\$ 5 5 2 5 1 4 6 5 4 6 5 4 6 5 5 6 5 6 5 6 6 5 6 6 6 6	A	AJS-15776-70 AQUA	3/8 yard		G	AJS-15787-70 AQUA	1 yard
	В	AJS-15788-246 WATER	1-1/2 yards	10 10 10 10 10 10 10 10 10 10 10 10 10 1	Н	AJS-1 <i>5778-7</i> 0 AQUA	1/4 yard
	C	AJS-15787-63 SKY	3/4 yard		I	AJS-15788-70 AQUA	3/4 yard
	D	AJS-14773-9 NAVY *includes binding	3/4 yard		J	AJS-15781-15 IVORY	2/3 yard
	E	AJS-15787-15 IVORY	1/2 yard		K	AJS-15776-295 IRON	1/4 yard
	F	F A IS 15700 //	0/2 vard	Copyright 2015, Robert Kaufman For individual use only - Not for resale			
		AJS-15788-66 SLATE	2/3 yard			vill also need: ds for backing	

FOUNDRY - Cool Colorstory Cutting Instructions & Notes

Cut all Fabric L pieces from the remainder of Fabric C. Use these triangles wherever Fabric L is called for in the instructions.