

Whitetail Ridge

Designed by: Karla Shulz





Finished Quilt Size: 58" x 74" Finished Block Size: 12" x 16" Number of Pieced Blocks: 10



Whitetail Ridge Remington



24086 G	24087 H	24088 E	
			Size: 58 ¹ / ₂
封建是在	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	法 限公司 思	SKU: P33
100 A	Stat C	Sec. A	
24090 F	24090 G	24090 T	24086 G
	A B B B B B B B B B B B B B B B B B B B		24087 H
			24088 E
			24090 F
24091 A (also Binding)	24091 G	24092 T	24090 G
	State Sale		24090 T
			24091 A (als
	and a second		24091 G
	and the set		24092 T
	24089 B (Backing)		24089 B (Ba

FABRIC CALCULATIONS			
Quilt			
Size: 58 ¹ / ₂ " x 70 ¹ / ₂ "	YARDS		
SKU: P3304 ALL			
0 1 1 6 5 4 2 7 7 3 5 5 1 5			
24086 G	11⁄4		
24087 H	11⁄4		
24088 E	1 3/8		
24090 F	11⁄4		
24090 G	3⁄4		
24090 T	5%8		
24091 A (also Binding)	11/8		
24091 G	1/2		
24092 T	1/2		
24089 B (Backing)	42⁄3		

Cutting Directions:

WOF = width of fabric from selvage to selvage. *Pay careful attention when cutting directional fabrics.

24086 G - Scenic Print (directional)

- Cut (2)16½" x WOF strips. Sub-cut (3) 12½" x 16½" blocks and (1) 5½" x 16½" side border rectangle.
- Cut (1) 5¹/₂" x WOF strip. Sub-cut (1) 5¹/₂" x 12¹/₂" bottom border rectangle.

24087 H - Patch Print (directional)

- Cut (2) 16¹/₂" x **WOF** strips. Sub-cut (3) 12¹/₂" x 16¹/₂" blocks and (1) 5¹/₂" x 16¹/₂" side border rectangle.
- Cut (1) 5¹/₂" x WOF strip. Sub-cut (1) 5¹/₂" x 12¹/₂" top border rectangle.

24092 T - Rust Linen

- Cut (1) 8¹/₂" x **WOF** strip. Sub-cut (10) 2¹/₂" x 8¹/₂" rectangles.
- Cut (1) 5¹/₂" x **WOF** strip. Sub-cut (4) 5¹/₂" x 5¹/₂" border corner squares.

24088 E - Branches

• Cut (9) 4¹/₂" x **WOF** strips. Sub-cut (80) 4¹/₂" x 4¹/₂" squares

©Remington

24090 T - Brown Tree Print (directional)

• Cut (1) 16¹/₂" x WOF strip. Sub-cut (2) 5¹/₂" x 16¹/₂" rectangles for the side borders. From the remainder of the strip, cut (1) 5¹/₂" x remaining WOF strip. Sub-cut (2) 5¹/₂" x 12¹/₂" top and bottom border rectangles.

24090 F - Dark Green Tree Print (directional)

- Cut (1) 16¹/₂" x WOF strip. Sub-cut (2) 5 ¹/₂"x 16¹/₂" rectangles for the side borders. From the remainder of the strip, cut (1) 5¹/₂" x remaining WOF strip. Sub-cut (2) 5¹/₂" x 12¹/₂" top and bottom border rectangles.
- Cut (5) 4¹/₂" x **WOF** strips. Sub-cut (20) 4¹/₂" x 8¹/₂" rectangles.

24090 G - Light Green Tree Print (directional)

• Cut (5) 4¹/₂" x **WOF** strips. Sub-cut (20) 4¹/₂" x 8¹/₂" rectangles.

24091 A - Brown Houndstooth

- Cut (2) 8¹/₂" x **WOF** strips. Sub-cut (10) 4¹/₂" x 8¹/₂" rectangles and (10) 2¹/₂" x 8¹/₂" rectangles.
- \bullet Cut (7) $2\frac{1}{2}$ " x WOF strips for binding.



Whitetail Ridge Remington



24091 G - Green Houndstooth

• Cut (2) 5½" x WOF strips. Sub-cut (2) 5½" x 12½" and (2) 5½" x 16½" rectangles.

24089 B - Mountain Print (directional)

• Cut (2) 82" x WOF strips for backing.

Piecing Instructions:

Use ¼" seam allowances

1. Draw a diagonal line on the wrong side of each 4¹/₂" branches square.



2. Place a marked square, right sides together, on one corner of a 4½" x 8½" light green tree rectangle. Sew on the marked line. Trim the seam allowance to ¼". Press seam toward the square. Repeat for the other corner of the rectangle to complete one light green tree unit. Repeat to make 20 light green units.



3. Repeat Step 2 using the $4\frac{1}{2}$ " branches squares and the $4\frac{1}{2}$ " x $8\frac{1}{2}$ " dark green tree print rectangles.



4. Join the light and dark green tree units. Press seam toward the light unit. Repeat for 20 units.



5. Sew a 2¹/₂" x 8¹/₂" rust linen rectangle to the left side of a tree unit. Press the seam toward the rust rectangle. Repeat for 10 units.



6. Sew a $2\frac{1}{2}$ " x $8\frac{1}{2}$ " brown houndstooth rectangle to the right side of the rust-tree unit. Press seam toward the rectangle. Repeat for 10 units.



7. Sew a 4¹/₂" x 8¹/₂" brown houndstooth rectangle to the left side of a tree unit. Press seam toward the rectangle. Repeat for 10 units.



8. Join the units as shown to complete one block. Press seam toward the top unit. Repeat to make 10 blocks.



Quilt Assembly:

• *Refer to the diagrams for fabric placement, paying careful attention to the directional fabrics.*

Row 1	→
Row 2	
Row 3	
Row 4	
Row 5	会会國会
Row 6	→ +

- 1. Arrange and sew the border pieces, blocks, scenic print and patch print rectangles in rows as shown. Press seams in the direction of the arrows.
- 2. Join the rows to compete the quilt top. Press seams in one direction.
- 3. Remove selvage edges from backing pieces. Sew together on the long side with a ¹/₂" seam allowance. Press the seam open. Trim to make a 66" x 82" backing piece.
- 4. Layer, quilt and bind using your favorite methods.