







# Sharon Hollands

QUYLT DESIGNED BY SHARON HOLLAND





FABRICS DESIGNED BY SHARON HOLLAND





BON-38500



BON-38501



BON-38502



BON-38503



BON-38505



BON-38506



BON-38508 SCENIC BLUE SKY



BON-38509



BON-38510 TARTAN FIELD MIDNIGHT




BON-38511





BON-48500



BON-48501



BON-48502



BON-48503



BON-48504




BON-48506 PRAIRIE CRIMSON



BON-48507 ARBORESCENT SEASONS



BON-48509 PLAIN WEAVE FLAX



BON-48510 TARTAN FIELD SNOW



BON-48511 VINE UMBRA





FINISHED SIZE | 68° × 72°

# FABRIC REQUIREMENTS

Fabric A	BON - 38501	½ yd.
Fabric <b>B</b>	BON - 38509	½ yd.
Fabric <b>C</b>	BON - 48510	½ yd.
Fabric <b>D</b>	BON - 48500	1/4 yd.
Fabric <b>E</b>	BON - 48511	⅓ yd.
Fabric <b>F</b>	BON - 48502	⅓ yd.
Fabric <b>G</b>	BON - 38505	⅓ yd.
Fabric <b>H</b>	BON - 38500	% yd.
Fabric I	BON - 48507	3% yd.
Fabric <b>J</b>	BON - 38511	% yd.
Fabric <b>K</b>	BON - 38506	3% yd.
Fabric <b>L</b>	BON - 48501	¾ yd.
Fabric <b>M</b>	BON - 38510	½ yd.
Fabric <b>N</b>	BON - 38508	½ yd.
Fabric O	BON - 48503	½ yd.
Fabric <b>P</b>	BON - 48506	½ yd.
Fabric Q	BON - 38503	½ yd.
Fabric <b>R</b>	BON - 48504	% yd.
Fabric <b>S</b>	BON - 48509	½ yd.
Fabric <b>T</b>	BON - 38502	F8.

#### BACKING FABRIC

BON - 38505 4 1/2 yds. (Suggested)

#### BINDING FABRIC

BON - 48509 (Fabric S) (Included)

## CUTTING PREPERATIONS

#### Fabric A

- Cut two (2) 21/2" x WOF strips.
- Subcut the strips into two (2) 2½ x 22½ strips, and two (2) 2½ x 10½ strips.

#### Fabric **B**

- Cut one (1) 4½ x WOF strip.
- Subcut the strip into one (1) 4½' x 16½' strip, and one (1) 2½' x 10½' strip.



#### Fabric C

- Cut three (3) 21/2" x WOF strips.
- Subcut the strips into one (1) 2½' x 40½' strip, and two (2) 2½' x 25½' strips.

#### Fabric **D**

- Cut three (3) 21/2" x WOF strips.
- Subcut the strips into one (1) 2½' x 38½' strip, and two (2) 2½' x 23½' strips.

#### Fabric **E**

- Cut two (2) 4½ x WOF strips.
- Subcut the strips into one (1) 4½' x 28½' strip, and one (1) 4½' x 40½' strip.

#### Fabric **F**

- Cut two (2) 4½ x WOF strips.
- Subcut the strips into two (2) 41/2" x 231/2" strips.

#### Fabric **G**

- Cut two (2) 4½ x WOF strips.
- Subcut the strips into two (2) 4½ x 30½ strips.

#### Fabric **H**

- Cut two (2) 4½' x WOF strips, and one (1) 2½' x WOF strip.
- Subcut the strips into two (2) 4½' x 30½' strips, one (1) 2½' x 16½' strip, and one (1) 2½' x 14½' strip.

#### Fabric I

- Cut two (2) 41/2" x WOF strips, and one (1) 21/2 x WOF.
- Subcut the strips into two (2) 4½ x 32½ strips, and one (1) 2½ x 20½ strips.

#### Fabric **J**

- Cut four (4) 2 1/2" x WOF strips
- Subcut the strips into three (3) 2½' x 26½' strip, and one (1) 2½' x 34½' strip.

#### Fabric **K**

- Cut two (2) 4 1/2" x WOF strips, and one (1) 21/2 x WOF strip.
- Subcut the strips into one (1) 2 ½' x 32 ½' strip, and two (2) 4 ½' x 34 ½' strips.

#### Fabric L

- Cut two (2) 4 1/2" x WOF strips, and one (1) 21/2 x WOF strip.
- Subcut the strips into one (1) 2 ½' x 22 ½' strip, and two (2) 4 ½' x 28 ½' strips.

#### Fabric M

- Cut three (3) 4 ½' x WOF strips, and one (1) 2½ x WOF strip.
- Subcut the strips into one (1) 2 ½' x 10 ½' strip, two (2) 4 ½' x 34 ½' strips., and one (1) 4½ x 32½.

#### Fabric N

- Cut three (3) 4 1/2" x WOF strips,
- Subcut the strips into two (2) 4 ½' x 32 ½' strip, and two (2) 4 ½' x 20 ½' strips.

#### Fabric O

- Cut three (3) 4 1/2" x WOF strips.
- Subcut the strips into three (3) 4 ½' x 26 ½' strips.

#### Fabric P

- Cut three (3) 4 1/2" x WOF strips.
- Subcut the strips into two (2) 4 ½' x 25 ½' strips, and one (1) 4 ½' x 22 ½' strips.

#### Fabric Q

- Cut three (3) 4 1/2" x WOF strips.
- Subcut the strips into one (1) 4 ½' x 34 ½' strip, and two (2) 4 ½' x 22 ½' strips.

#### Fabric **R**

- Cut four (4) 4 1/2" x WOF strips.
- Subcut the strips into two (2) 4½ x 28 ½ strips, one (1) 4½ x 38 ½ strips, and one (1) 4½ x 14½ strip.



#### Fabric S

- Cut one (1) 21/2" x WOF strip
- Subcut the strip into one (1) 21/2" x 281/2" strip.

#### Fabric T

• Cut one (1) 61/2" x 10 1/2" rectangle

## CONSTRUCTION


Sew all rights sides together with 1/4" seam allowance.

- Take one (1) 10½' x 2½' strip from fabric A, one (1) 10½' x 6½' rectangle from fabric T, and one (1) 10½' x 2½' strip from fabric B, and join them by the 10½' side.
- A > T > B
- Take one (1) 10½' x 2½' strip from fabric A, and one
   (1) 10½' x 2½' strip from fabric M, and join them to the previous block by the 10½' side.
- A > block > M
- Take one (1) 14½" x 2½" strip from fabric **H**, and one (1) 14½" x 4½" strip from fabric **R**, and join them to the block by the 14½" side.
- **H** > block > **R**
- Take one (1) 16½' x 2½' strip from fabric H, and one
   (1) 16½' x 4½' strip from fabric B, and join them to the block by the 16½' side.
- **H** > block > **B**
- Take one (1) 20½' x 2½' strip from fabric I, and one
   (1) 20½' x 4½' strip from fabric N, and join them to the block by the 20½' side.
- I > block > N
- Take one (1) 22½' x 2½' strip from fabric L, and one
   (1) 22½' x 4½' strip from fabric P, and join them to the block by the 22½' side.
- L > block > P
- Take one (1) 26½' x 2½' strip from fabric J, and one
   (1) 26½' x 4½' strip from fabric O, and join them to the block by the 26½' side.
- **J** > block > **O**

- Take one (1) 28½' x 2½' strip from fabric **S**, and one (1) 28½' x 4½' rectangle from fabric **E**, and join them to the block by the 28½' side.
- **S** > block > **E**
- Take one (1) 32½' x 2½' strip from fabric K, and one
   (1) 32½' x 4½' rectangle from fabric M, and join them to the block by the 32½' side.
- K > block > M
- Take one (1) 38½' x 2½' strip from fabric **D**, and one (1) 38½' x 4½' rectangle from fabric **R**, and join them to the block by the 38½' side.
- **D** > block > **R**
- Take one (1) 40½' x 2½' strip from fabric **C**, and one (1) 40½' x 4½' rectangle from fabric **E**, and join them to the block by the 40½' side.
- C > block > E
- Take two (2) 22½' x 2½' strips from fabric **A**, and join them by the 2½' side.
- Take two (2) 22½' x 4½' strips from fabric **Q**, and join them by the 4½' side.
- Take the 44½' x 2½' strip from fabric **A**, and the 44½' x 4½' strip from fabric **Q**, and join them to the block by the 44½' side.
- **A** > block > **Q**
- Take two (2) 23½' x 2½' strips from fabric **D**, and join them by the 2½' side.
- Take two (2) 23½' x 4½' strips from fabric **F**, and join them by the 4½' side.
- Take the 46½' x 2½' strip from fabric **D**, and the 46½' x 4½' strip from fabric **F**,and join them to the block by the 46½' side.
- **D** > block > **F**
- Take two (2) 25½' x 2½' strips from fabric **C**, and join them by the 2½' side.
- Take two (2) 25½' x 4½' strips from fabric **P**, and join them by the 4½' side.
- Take the 50½' x 2½' strip from fabric **C**, and the 50½' x 4½' strip from fabric **P**, and join them to the block by the 50½' side.
- C > block > P



- Take two (2) 26½' x 2½' strips from fabric **J**, and join them by the 2½' side.
- Take two (2) 261/2" x 41/2" strips from fabric **O**, and join them by the 41/2" side.
- Take the 52½' x 2½' strip from fabric **J**, and the 52½' x 4½' strip from fabric **O**, and join them to the block by the 52½' side.
- **J** > block > **O**
- Take two (2) 28½' x 4½' strips from fabric **L**, and join them by the 4½' side.
- Take two (2) 28½' x 4½' strips from fabric **R**, and join them by the 4½' side.
- Take the 56½' x 4½' strip from fabric L, and the 56½' x 4½' strip from fabric R, and join them to the block by the 56½' side.
- L > block > R
- Take two (2) 30½' x 4½' strips from fabric **H**, and join them by the 4½' side.
- Take two (2) 30½' x 4½' strips from fabric **G**, and join them by the 4½' side.
- Take the 60½' x 4½' strip from fabric **H**, and the 60½' x 4½' strip from fabric **G**,and join them to the block by the 60½' side.
- **H** > block > **G**
- Take two (2) 32½" x 4½" strips from fabric I, and join them by the 4½" side.
- Take two (2) 32½' x 4½' strips from fabric **N**, and join them by the 4½' side.
- Take the 64½' x 4½' strip from fabric I, and the 64½' x 4½' strip from fabric N, and join them to the block by the 64½' side.
- I > block > N
- Take two (2) 34½' x 4½' strips from fabric **K**, and join them by the 4½' side.
- Take two (2) 34½ x 4½ strips from fabric **M**, and join them by the 4½ side.
- Take the 68½' x 4½' strip from fabric **K**, and the 68½' x 4½' strip from fabric **M**,and join them to the block by the 68½' side.
- K > block > M



#### DIAGRAM 1

# QUILT ASSEMBLY

Sew rights sides together


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up.
   Smooth away wrinkles using your hands.

- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

# BINDING

Sew rights sides together.

- Cut enough strips 1 ½' wide by the width of the fabric **S** to make a final strip 290' long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5' tail. Sew with ¼' seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching ¼' before the edge of the quilt (DIA-GRAM B 1). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (DIAGRAM B2). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (DIAGRAM B3). Start sewing at ¼' of the border, stitching all the layers. Do the same in the four corners of the quilt.
- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to ¼' and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.





# Congratulations & enjoy



### artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2017 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.