


# BLUE RAINDOT BARGELLO




LEVEL: CONFIDENT BEGINNER | SIZE:43" W X 60" H | QUILT DESIGNED BY MARINDA STEWART

# FABRIC REQUIREMENTS


48" X 65" BACKING AND 48" X 65" BATTING



PC6307 Blue  
Raindots  
2 yards



SC5333 Breeze  
Cotton Couture  
5/8 yard



SC5333 Boy  
Cotton Couture  
1/2 yard



SC5333 Cobalt  
Cotton Couture  
1/2 yard



SC5333 Midnite  
Cotton Couture  
1/2 yard

## "Blue Raindot Bargello"

Quilt designed by Marinda Stewart

Size: 43" x 60" Skill Level: Confident Beginner

### Materials

Fabric	Yardage	Cutting
PC6307 Blue Raindots	2 yards	(11) 3 3/4" x 40 1/2" * (4) 2 1/2" x 40 1/2" **
`A` SC5333 Breeze Cotton Couture	5/8 yard	(2) 2 1/2" x W.O.F. -binding (1) 3 3/4" x 8 1/2" (1) 3 3/4" x 10 1/2" (1) 3 3/4" x 4 1/2" (1) 3 3/4" x 7 1/2" (1) 3 3/4" x 9 1/2" (1) 3 3/4" x 14 1/2" (1) 3 3/4" x 13 1/2" (1) 2 1/2" x 8 1/2"
`B` SC5333 Boy Cotton Couture	1/2 yard	(1) 2 1/2" x W.O.F. -binding (1) 3 3/4" x 11 1/2" (1) 3 3/4" x 6 1/2" (1) 3 3/4" x 16 1/2" (1) 3 3/4" x 10 1/2" (1) 2 1/2" x 5 1/2" (1) 2 1/2" x 7 1/2" (1) 2 1/2" x 12 1/2"
`C` SC5333 Cobalt Cotton Couture	1/2 yard	(1) 2 1/2" x W.O.F. -binding (1) 3 3/4" x 9 1/2" (1) 3 3/4" x 14 1/2" (1) 3 3/4" x 4 1/2" (1) 3 3/4" x 10 1/2" (1) 2 1/2" x 15 1/2" (1) 2 1/2" x 12 1/2" (1) 2 1/2" x 13 1/2" (1) 2 1/2" x 8 1/2"
`D` SC5333 Midnite Cotton Couture	1/2 yard	(1) 2 1/2" x W.O.F. -binding (1) 3 3/4" x 12 1/2" (1) 3 3/4" x 10 1/2" (1) 3 3/4" x 16 1/2" (1) 3 3/4" x 11 1/2" (1) 3 3/4" x 13 1/2" (1) 3 3/4" x 6 1/2"

**Also Needed:** 48" x 65" backing, 48" x 65" batting, threads to match, scissors, straight pins, rotary cutter, acrylic ruler, and mat.

\* Center on dot stripe

\*\* Cut from leftover strips

## Disclaimers

This pattern is provided as a courtesy to quilt stores, catalogs, and quilters. Michael Miller Fabrics, LLC is not responsible for the accuracy of any kits packaged to accompany this pattern. Please direct any inquiries to the kit maker.

Yardage requirements for this pattern may allow for excess yardage to accommodate specific placement of motifs or to allow for any fussy-cutting to achieve the finished quilt design.

While every attempt has been made to give accurate measurements, yardage requirements, and construction directions; this does not allow personal variations in measuring, cutting, and or sewing. The enclosed directions were used in the construction of the original quilt.

## Directions

1. Row #1 – sew one 'A' 3 3/4" x 8 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 12 1/2" piece to the dark end.
2. Row #2 – sew one 'B' 3 3/4" x 11 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'C' 3 3/4" x 9 1/2" piece to the dark end. Sew to Row #1.
3. Row #3 – sew one 'C' 2 1/2" x 15 1/2" piece to the dark end of one PC6307 2 1/2" strip. Sew one 'B' 2 1/2" x 5 1/2" piece to the light end. Sew to Row #3 inverting the color sequence as shown.
4. Row #4 – sew one 'A' 3 3/4" x 10 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 10 1/2" piece to the dark end of the strip. Sew to Row #3.
5. Row #5 – sew one 'B' 3 3/4" x 6 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'C' 3 3/4" x 14 1/2" piece to the dark end. Sew to Row #4.
6. Row #6 – sew one 'A' 3 3/4" x 4 1/2" piece to the light side of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 16 1/2" piece to the dark end. Sew to Row #5.
7. Row #7 – sew one 'C' 2 1/2" x 12 1/2" piece to the dark end of one PC6307 2 1/2" strip. Sew one 'A' 2 1/2" x 8 1/2" piece to the light end. Sew to Row #6. Inverting the color as in step #3.
8. Row #8 – sew one 'B' 3 3/4" x 16 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'C' 3 3/4" piece to the dark end. Sew to Row #7.
9. Row #9 – sew one 'A' 3 3/4" x 9 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 11 1/2" piece to the dark end. Sew to Row #8.
10. Row #10 – sew one 'C' 2 1/2" x 13 1/2" piece to the dark end of one PC6307 2 1/2" strip. Sew one 'B' 2 1/2" x 7 1/2" piece to the light end. Sew to Row #9 as in step #3.
11. Row #11 – sew one 'A' 3 3/4" x 7 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 13 1/2" piece to the dark end. Sew to Row #10.
12. Row #12 – sew one 'B' 3 3/4" x 10 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'C' 3 3/4" x 10 1/2" piece to the dark end. Sew to Row #11.
13. Row #13 – sew one 'A' 3 3/4" x 14 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 6 1/2" piece to the dark end. Sew to Row #12.
14. Row #14 – sew one 'C' 2 1/2" x 8 1/2" piece to the dark end of one PC6307 2 1/2" strip. Sew one 'B' 2 1/2" x 12 1/2" piece to the light end. Sew to Row #13.
15. Row #15 – sew one 'A' 3 3/4" x 13 1/2" piece to the light end of one PC6307 3 3/4" strip. Sew one 'D' 3 3/4" x 7 1/2" piece to the dark end. Sew to Row #14.
16. Layer backing, batting, and quilt top. Baste.
17. Quilt as desired.
18. Bind the top edge of the quilt with 'A' 2 1/2" strip. Trim excess. Bind the bottom edge with 'D' 2 1/2" strip. Trim excess. Cut one 'A', 'B', and 'C' 2 1/2" x W.O.F. strip in half to make 2 1/2" x 22" pieces. For each side piece together (1) 'A', 'B', and 'C'. Make two. Bind each side starting at the lower edge with 'C'. Trim excess 'A' away at the top edge. Trim under all raw edges to finish.