

Featuring fabrics from Fracture by Teresa Ascone for P&B Textiles



# Fracture

Fabric collection by Teresa Ascone for P&B Textiles Quilt designed by Cyndi Hershey Skill level: Confident Beginner • Finished Quilt Size: approximately 75" x 96"

# Yardages:

| Fabric:           | One Fat Quarter | pack (30 skus)               |
|-------------------|-----------------|------------------------------|
| Fabric X:         | FRAC 4123 S     | 3/4 yard                     |
| Fabric Y:         | RA12 809 W      |                              |
|                   | or 5 3          | 3/4 yards to cut borders LOF |
| Backing of choice |                 | 7 yards                      |
|                   |                 | or 3 yards 108"              |
| Batting           |                 | 83" x 104"                   |

# **Cutting Instructions:**

Please read all instructions carefully before beginning. Strips are cut across the width of fabric (perpendicular to selvages) unless otherwise stated. All fat quarters have one selvages. All seams are sewn with a 1/4" seam unless otherwise stated. Label all pieces.

#### From Fat Quarters:

- 1. Cut six 3 1/2" squares (piece #1) for each of the following FQ's: FRAC 4123 LB (A1), FRAC 4123 M (B1), FRAC 4123 L (C1), FRAC 4123 LT (D1), FRAC 4123 LG (E1), FRAC 4123 Y (F1), FRAC 4123 P (G1), FRAC 4123 J (H1).
- Cut three 3 1/2" strips; subcut six 3 1/2" x 6 1/2" (piece #2) for each of the following FQ's: FRAC 4123 B (A2), FRAC 4123 G (B2), FRAC 4123 BV (C2), FRAC 4123 BG (D2), FRAC 4123 T (E2), FRAC 4123 AU (F2), FRAC 4123 F (G2), FRAC 4123 DO (H2).
- 3. Cut three 3 1/2" strips; subcut six 3 1/2" x 9 1/2" (piece #3) for each of the following FQ's: FRAC 4123 BB (A3), FRAC 4123 HG (B3), FRAC 4123 C (C3), FRAC 4123 DT (D3), FRAC 4123 N (E3), FRAC 4123 O (F3), FRAC 4123 R (G3), FRAC 4123 DR (H3).
- 4. Use remainder of FQ's to cut four 2" squares, four 3 1/2" squares and four 2 1/2" squares. These can be any colors that you'd like to use.

#### From Fabric X:

- 1. Cut one 2" strip; subcut twelve 2" squares. (Sashing Squares)
- 2. Cut nine 2 1/2" strips. (Binding)

#### From Fabric Y:

#### If cutting from width of fabric, cut the following:

- 1. Cut eight 2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two 2" x 83" strips and two 2" x 62" strips. (Inner Border)
- 2. Cut eight 3 1/2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two 3 1/2" x 86" strips and two 3 1/2" x 65" strips. (Middle Border)

- 3. Cut nine 2 1/2" strips. Sew strips together end to end with diagonal seams; press. From this pieced strip, cut two 2 1/2" x 92" strips and two 2 1/2" x 71" strips. (Outer Border)
- 4. Cut twenty-three 2" strips; subcut eighty-two 2" x 9 1/2" rectangles and twenty-three 2" squares. (Sashing & Sashing Squares)
- 5. Cut thirteen 3 1/2" strips; subcut forty-eight 3 1/2" squares and forty-eight 3 1/2" x 6 1/2" rectangles. (Blocks)

#### If cutting from length of fabric, cut the following:

1. Cut 2 3/4 yards from yardage. From this, on the LOF cut two 2" x 83" strips and two 2" x 62" strips (Inner Border), two 3 1/2" x 86" strips and two 3 1/2" x 65" strips (Middle Border) and two 2 1/2" x 92" strips and two 2 1/2" x 71" strips. (Outer Border)

# Use remainder of fabric to cut the following from the width of the fabric:

- 2. Cut twenty-three 2" strips; subcut eighty-two 2" x 9 1/2" rectangles and twenty-three 2" squares. (Sashing & Sashing Squares)
- 3. Cut thirteen 3 1/2" strips; subcut forty-eight 3 1/2" squares and forty-eight 3 1/2" x 6 1/2" rectangles. (Blocks)

## Piecing Instructions:

1. Sew piece #1 (3 1/2" square) to 3 1/2" x 6 1/2" Y rectangle (Figure 1). Press toward the square. Repeat to make six of each of the eight colors. *Diagrams use Block A as an example.* 



*Figure 1* Make 6 of each color.

 Sew piece #2 (3 1/2" x 6 1/2") to 3 1/2" Y square (Figure 2). Press toward the rectangle. Repeat to make six of each of the eight colors.



*Figure 2* Make 6 of each color.

 Sew piece #3 (3 1/2" x 9 1/2") to one unit from steps 1 and 2 to complete one block (Figure 3). Press seams toward piece #3. Repeat to make six blocks of each of the eight colors. Blocks should measure 9 1/2" (Figure 4).



Figure 3 Make 6 blocks of each color.





Figure 4 Make 6 blocks of each color. Blocks should measure 9 1/2"

- Refer to quilt diagram to lay blocks into rows. Sew one 2" x 9 1/2" Y rectangle between the blocks in each row. Press toward the Y rectangles. Sew eight block rows.
- 5. Refer to quilt diagram to sew six 2" x 9 1/2" Y rectangles with X and Y sashing squares. Press toward the Y rectangles. Sew seven sashing rows. *Note: The 2" Y sashing* squares are used to help keep sashing and blocks aligned within the quilt.
- 6. Sew block rows with sashing rows. Press toward the sashing rows.
- Sew one 2" x 83" Y strip to both sides of the quilt. Press toward the border strips. Sew one 2" FQ square to both ends of both 2" x 62" Y strips. Press toward the strips. Sew these to the top and bottom of the quilt. Press toward the borders.
- Sew one 3 1/2" x 86" Y strip to both sides of the quilt. Press toward the border strips. Sew one 3 1/2" FQ square to both ends of both 3 1/2" x 65" Y strips. Press toward the strips. Sew these to the top and bottom of the quilt. Press toward the borders.
- 9. Sew one 2 1/2" x 92" Y strip to both sides of the quilt. Press toward the border strips. Sew one 2 1/2" FQ square to both ends of both 2 1/2" x 71" Y strips. Press toward the strips. Sew these to the top and bottom of the quilt. Press toward the borders.

### Finishing:

- 1. Prepare backing with horizontal seams to measure 83" x104". Press seam open.
- 2. Layer backing, batting and quilt top. Baste layers together.
- 3. Quilt as desired.
- 4. Trim layers even with quilt top, squaring corners.
- Join 2 1/2" X binding strips with diagonal seams. Press seams open. Press strip in half lengthwise with wrong sides together to make double-fold binding. Sew binding to quilt using your favorite method.
- 6. Make a label and sew to back of the quilt.





# Fracture

### Fabric Collection by Teresa Ascone for P&B Textiles



FRAC 4123 NE\*



FRAC 4123 DO\*



FRAC 4123 DR\*




FRAC 4123 C\*




FRAC 4123 N\*





FRAC 4123 T\*



FRAC 4123 DS\*



FRAC 4123 Y\*



FRAC 4123 P\*



FRAC 4123 J\*






FRAC 4123 LG\*







FRAC 4123 LZ\*







FRAC 4123 AU\*



FRAC 4123 F\*



FRAC 4123 L\*



FRAC 4123 B\*



FRAC 4123 G\*



FRAC 4123 BG\*




FRAC 4123 Z\*




FRAC 4123 O\*



FRAC 4123 R\*



FRAC 4123 BV\*





FRAC 4123 HG\*



FRAC 4123 DT\*







\*Fabrics used in quilt.

