

JEWELED GIFT

Designed by Elise Lea for RK
www.robertkaufman.com

Featuring ARTISAN BATIKS

Serenity Lake

by Lunn



Finished quilt measures: 60" x 72"


















Difficulty Rating: **Beginner**

ROBERTKAUFMAN
F A B R I C S

For questions about this pattern, please email Patterns@RobertKaufman.com.

Fabric and Supplies Needed

Fabric amounts based on yardage that is 42" wide.

Color	Fabric	Name/SKU	Yardage	Color	Fabric	Name/SKU	Yardage
	A	AMD-7000-187 PLATINUM	2-7/8 yards		J	SRK-19409-43 LEAF	1/4 yard
	B	SRK-19407-70 AQUA	1/4 yard		K	SRK-19410-345 CYPRESS	1/4 yard
	C	SRK-19408-220 PANSY	1/4 yard		L	SRK-19408-198 PASTEL	1/4 yard
	D	SRK-19412-234 WISTERIA	1/4 yard		M	SRK-19407-69 MIDNIGHT	1/4 yard
	E	SRK-19406-220 PANSY	1/4 yard		N	SRK-19409-201 JEWEL	1/4 yard
	F	SRK-19412-59 OCEAN	1/4 yard		O	SRK-19411-81 TURQUOISE	1/4 yard
	G	SRK-19407-220 PANSY	1/4 yard		P	SRK-19411-7 GREEN	1/8 yard
	H	SRK-19407-7 GREEN	1/4 yard		Binding*	SRK-19407-69 MIDNIGHT	5/8 yard
	I	SRK-19407-71 LAGOON	1/4 yard	*Also used for Fabric M			

Copyright 2020, Robert Kaufman
For individual use only - Not for resale

You will also need:
4 yards for backing

Notes Before You Begin

- Read through all of the instructions before beginning.
- All of the seam allowances are 1/4" unless otherwise noted.
- Press seam allowances open unless otherwise noted.
- Width of fabric (WOF) is equal to at least 42" wide.
- Right sides together has been abbreviated to RST.
- Half-Square Triangle has been abbreviated to HST.
- Remember to measure twice and cut once!

Cutting Instructions

From Fabric A, cut:

twelve 2" x WOF strips. Sew together, end-to-end, then trim:

- two 2" x 60-1/2" side inner borders
- two 2" x 51-1/2" top/bottom inner borders
- two 2" x 69-1/2" side outer borders
- two 2" x 60-1/2" top/bottom outer borders

nineteen 4" x WOF strips. Subcut:

- one hundred eighty-two 4" squares for the HSTs

From each of Fabrics B, D, F, H, J and L, cut:

one 4" x WOF strip. Subcut:

- nine 4" squares for the HSTs

one 3-1/2" x WOF strip. Subcut:

- six 3-1/2" squares

From Fabric C, cut:

two 4" x WOF strips. Subcut:

- eighteen 4" squares for the HSTs

From each of Fabrics E, I, K and M, cut:

two 4" x WOF strips. Subcut:

- twenty 4" squares for the HSTs

From Fabric G, cut:

two 4" x WOF strips. Subcut:

- nineteen 4" squares for the HSTs

From Fabric N, cut:

one 4" x WOF strips. Subcut:

- eight 4" squares for the HSTs

one 3-1/2" x WOF strip. Subcut:

- four 3-1/2" squares

From Fabric O, cut:

two 4" x WOF strips. Subcut:

- fifteen 4" squares for the HSTs

From Fabric P, cut:


one 4" x WOF strip. Subcut:
six 4" squares for the HSTs

From the Binding Fabric, cut:

seven 2-1/2" x WOF strips

Assemble the Half-Square Triangles (HSTs)

Step 1: Pair a 4" Fabric A square with a 4" Fabric B square, RST. Mark a diagonal line on the wrong side of one square. Sew 1/4" away from both sides of the marked line. Cut on the marked line, creating two half-square triangles (HSTs). Press toward the darker fabric. Trim to 3-1/2" square. Repeat to make twelve A/B HSTs.



Step 2: Repeat Step 1 to make:




thirty A/C HSTs



six B/C HSTs




twelve A/D HSTs




thirty-four A/E HSTs




six D/E HSTs




twelve A/F HSTs




thirty-two A/G HSTs




six F/G HSTs



twelve A/H HSTs



thirty-four A/I HSTs



six H/I HSTs




twelve A/J HSTs



thirty-four A/K HSTs



six J/K HSTs



twelve A/L HSTs



thirty-four A/M HSTs



six L/M HSTs



twelve A/N HSTs



thirty A/O HSTs




four N/O HSTs



twelve A/P HSTs


Assemble the Blocks

Step 3: Gather:
 four A/B HSTs
 eight A/C HSTs
 two B/C HSTs
 two Fabric B squares



Arrange the units into four rows of four. Note the fabric placement and block orientation in the Block Assembly Diagram.


Step 4: Sew the squares together to form the rows. Press the seams toward in opposite directions every other row.



Step 5: Sew the rows together, nesting the seams and pressing the seams to one side to form the block.

Repeat to make three Fabric B/C Blocks, each measuring 12-1/2" square.


Step 6: Repeat the process from Steps 3-5 to make:



three Fabric D/E Blocks



three Fabric F/G Blocks




three Fabric H/I Blocks



three Fabric J/K Blocks



three Fabric L/M Blocks



two Fabric N/O Blocks

Assemble the Quilt



Step 7: Arrange the blocks into five rows of four blocks. Note the fabric placement and block orientation in the Quilt Assembly Diagram.

Step 8: Sew the blocks together to form rows. Press the rows to the left in the odd numbered rows and to the right in the even numbered rows.

Step 9: Sew the rows together to form the quilt center. Press the row seams open.

Step 10: Sew the side inner borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom inner borders to the quilt center. Press toward the borders.

Step 11: Gather seventeen of the remaining HSTs, in assorted fabrics. Alternately, you may choose to match the fabrics to their placement in the finished quilt image. Sew together to form the top pieced border, noting the orientation of the HSTs in the sample. Press. Sew to the top of the quilt center. Press. Repeat to make the bottom pieced border and sew it to the quilt center.



Step 12: Gather twenty-three of the remaining HSTs, in assorted fabrics. Alternately, you may choose to match the fabrics to their placement in the finished quilt image. Sew together to form the left edge pieced border, noting the orientation of the HSTs in the sample. Press. Sew to the left side of the quilt center. Press. Repeat to make the right edge pieced border and sew it to the quilt center.

Step 13: Sew the side outer borders to the sides of the quilt center. Press toward the borders. Sew the top and bottom outer borders to the quilt center. Press toward the borders.

Your quilt top is complete! Baste, quilt, bind and enjoy!

