
COTTON + STEEL

A DIVISION OF RJR FABRICS

COLLECTION	PATTERN NAME	PATTERN DESIGNER	FABRIC DESIGNER
TRINKET	TRINKET QUILT	MELODY MILLER	MELODY MILLER



FABRIC REQUIREMENTS AND CUTTING LIST:

Cut one using template A



0041-22 Daisy Fields - Blue 1/4 Yard



0041-12 Daisy Fields - Pink 1/4 Yard



Cut one using template F

Cut one using template A



0037-2 Happy Garden - Steel Blue 1/4 Yard



0036-2 Spools - Orange 1/4 Yard



Cut one using template F



0034-3 Whistles - Pink 1/4 Yard

Cut one using template A



0042-1 Telephones - Aqua 1/4 Yard

FABRIC REQUIREMENTS AND CUTTING LIST:



5001-1 3/8 Yard

Cut one 15 1/2" x 10 1/4" Cut two using template J



5023-13 3/8 Yard

Cut one 3" x 5 1/2" Cut two 29 1/2" x 2 3/4" Cut two from template i



9617-330 1/2 Yard

Cut two using template C Cut two 3" x 29 1/2"



9617-280 3/8 Yard

Cut one 8 1/2" x 5 1/2"
Cut one 12" x 4 1/2"
Cut two using template G
Cut two using template H
Cut two using template K
Cut one using template E
Cut one using template C



5001-13 1/4 Yard

Cut one using template i Cut one using template H Cut one using template J Cut one using template K



Cut one 8" x 28 1/4" Cut one 8" x 20 1/2" Cut one 43 1/2" x 10 1/4" Cut two 29 1/2" x 8 1/4"

FABRIC REQUIREMENTS AND CUTTING LIST:




Cut one 22 1/4" x 4 1/2"
Cut one 21 1/4 x 4 1/2"
Cut one 28 x 5 1/2"
Cut one 20 1/2" x 5 1/2"
Cut two using template E
Cut three using template B
Cut three using template D



Cut one 4 3/4" x 9 1/2" Cut two 29 1/2" x 8 1/4" Cut one 13 1/2" x 9 1/2"

9617-367 2/3 Yard





5023-11 7/8 Yard

Cut one 30 1/2" x 9 1/2"
Cut one 24 1/4" x 9 1/2"
Cut one 20 1/2" x 9 1/2"
Cut one 25 1/2" x 9 1/2"
(Cut these four pieces with the long length parallel to the selvage)
Cut one 4 1/2" x 4 1/2"



5001-17 1/2 Yard

Binding-cut as desired



5023-8 1/4 Yard

Cut one 10 3/4" x 8"

0005-01




REQUIRED SUPPLIES:

- · Quilt batting
- · All purpose thread for piecing, and thread to match pens if you are machine stitching or hand stitching your appliques
- · One copy of templates provided printed at 100% with no scaling
- · 3 yds 20" wide fusible webbing if fusible applique is desired

INSTRUCTIONS:

1/4" seam allowance

1. This quilt is made by first piecing each pen block background. Piece each background block following the block diagram below. $3" \times$



2. Here are the pens required for the appliques and the corresponding template letters. NOTE- For your convenience we have both a regular and reversed image of the templates included.

FOR HAND APPLIQUE:

- --Begin by adding seam allowances to printed templates ONLY if using hand applique (no seam allowances are required for machine applique)
- --Cut all fabrics according to the list, taking care to be sure the direction of the template (pen fabric) is correct based on the schematic
- -- Applique in place, using your preferred method

FOR FUSIBLE/MACHINE APPLIQUE:

- --Begin by reversing pieces as necessary, depending on the direction of the pen fabric
- -- Trace each piece and apply fusible webbing on the fabric wrong side, then cut and adhere to right side of background
- --Stitch in place using your preferred method







- 3. Now that your pens are appliqued, sew each row of the quilt together following the main quilt diagram as a guide.
- 4. Quilt and bind as desired.